

#### PRIOR AUTHORIZATION REQUEST FORM

#### EOC ID:

### Repatha

Phone: 800-728-7947 Fax back to: 866-880-4532

	Prescriber Name:		
Patient Name:	Supervising Physician:		
Member/Subscriber Number:	Fax:	Phone:	
Date of Birth:	Office Contact:	i none.	
Group Number:	NPI:	State Lic ID:	
Address:	Address:	State Lie ib.	
City, State ZIP:	City, State ZIP:		
Primary Phone:	Specialty/facility name (if application)	able):	
Drug Name and Strength:			
Directions / SIG:			
Please attach any pertinent medical history or information for this patient that may support approval. Please answer the following questions and sign.			
Q1. Which type of request is this?  Initial [answer Q1-25]  Renewal (i.e. renewal of 140 mg dose OR renewal for	420 mg dose) [answer Q2, 20-	-28]	
Q2. Select the regimen that is being requested.			
Repatha 140 mg every 2 weeks (2 injections per 28 days)			
Repatha 420 mg every 4 weeks (Pushtronex cartridge every 28 days)			
Q3. Please provide most recent chart note, labs, genotype beneficial to pharmacist and medical director during the pr		cumentation that may be	
Q4. Specify the prescriber's specialty			
☐ Cardiologist			
☐ Endocrinologist			
☐ Board Certified Lipidologist			
☐ Other			
Q5. Is the patient GREATER THAN OR EQUAL TO 18 years of age?			



### Repatha

Phone: 800-728-7947 Fax back to: 866-880-4532

Patient Name:	Prescriber Name: Supervising Physician:			
rationt Name.	Supervising Friysician.			
☐ Yes ☐ No				
Q6. Which diagnosis is the drug being prescribed for (select ALL that apply)?  ☐ Heterozygous Familial hypercholesterolemia (HeFH)				
<ul><li>☐ Homozygous Familial hypercholesterolemia (HoFH)</li><li>☐ Clinical ASCVD with history of myocardial infarction (MI)</li></ul>				
<ul><li>☐ Clinical ASCVD with history of acute coronary syndrome (ACS)</li><li>☐ Clinical ASCVD with history of stable or unstable angina</li></ul>				
☐ Clinical ASCVD with history of thromboembolic stroke ☐ Clinical ASCVD with history of transient ischemic attack (TIA)				
Clinical ASCVD with history of peripheral artery disease (PAD)				
☐ Clinical ASCVD with history of coronary or other arte ☐ Other (specify)	erial revascularization			
Q7. Was diagnosis of familial hypercholesterolemia (FH) or Yes  No  NA - Patient does not have FH	onfirmed by GENETIC TESTING?			
Q8. Was diagnosis of FH confirmed by MedPed/WHO scorguidelines (refer to question 9)  Yes - provide total score  No  NA - Patient does not have FH	re GREATER THAN OR EQUAL TO 6 per 2011 ESC/EAS			
Q9. MedPed/WHO Heterozygous Familial Hypercholestero apply):	olemia Clinical Diagnostic Criteria (please select all that			
☐ First-degree relative known with premature CAD and percentile (1 point)	d/or first-degree relative with LDL-C greater than 95th			
☐ First-degree relative with tendon xanthomata and/or points)	children under 18 with LDL-C greater than 95th percentile (2			
<ul><li>☐ Patient has premature CAD (male younger than 55 y</li><li>☐ Patient has premature cerebral/peripheral vascular o</li><li>☐ Tendon xanthomata (6 points)</li></ul>	, , , , , ,			
☐ Arcus cornealis below the age of 45 years (4 points) ☐ LDL-C greater than 330 mg/dL (8 points)				



### Repatha

Phone: 800-728-7947 Fax back to: 866-880-4532

Patient Name:	Prescriber Name: Supervising Physician:		
☐ LDL-C 250 – 329 mg/dL (5 points) ☐ LDL-C 190 – 249 mg/dL (3 points) ☐ LDL-C 155 – 189 mg/dL (1 point)			
Q10. Which of the following applies to the patient?  □ LDL GREATER THAN OR EQUAL TO 160 mg/dL despite ADHERENCE to MAXIMIZED lipid lowering therapy □ LDL GREATER THAN OR EQUAL TO 160 mg/dL but patient is NOT ADHERENT to MAXIMIZED lipid lowering therapy □ LDL GREATER THAN OR EQUAL TO 130 mg/dL despite ADHERENCE to MAXIMIZED lipid lowering therapy □ LDL GREATER THAN OR EQUAL TO 130 mg/dL but patient is NOT ADHERENT to MAXIMIZED lipid lowering therapy □ LDL BELOW 130 mg/dL			
Q11. Does the patient have DOCUMENTED ADHERENCE to 2013 AHA/ACC Lifestyle Management Guidelines (e.g. heart healthy diet, aerobic exercise 3-4 times a week, active weight loss if BMI above 25 kg/m2)?  ☐ Yes ☐ No			
Q12. Does the patient smoke?  ☐ Yes ☐ No			
Q13. Select ALL statements that apply to this patient.  □ Failure to reach LDL goal concentration despite at least 80% ADHERENCE to a 90 DAY TRIAL of ATORVASTATIN 80 mg daily in combination with ZETIA  □ Failure to reach LDL goal concentration despite at least 80% ADHERENCE to a 90 DAY TRIAL of ROSUVASTATIN 40 mg daily in combination with ZETIA  □ None of the above apply to this patient			
alcoholic fatty liver)  Laboratory-confirmed acute liver injury secondary to Laboratory-confirmed rhabdomyolysis secondary to None of the above	ble liver disease such as hepatitis B, hepatitis C or non- HMG-CoA reductase inhibitor therapy HMG-CoA reductase inhibitor therapy		
Q15. Select ALL of the following intolerances to HMG-CoA	reductase inhibitor therapy that apply to this patient.		



### Repatha

Phone: 800-728-7947 Fax back to: 866-880-4532

Patient Name:	Prescriber Name: Supervising Physician:
☐ Intolerable, persistent, bilateral myalgia (muscle sym☐ Myopathy (muscle weakness with creatine kinase el☐ Myositis (creatine kinase elevations greater than 3 ti☐ None of the above	evations greater than 3 times baseline or ULN)
Q16. If the patient experienced intolerance to HMG-CoA repatient was intolerant to (include drug, strength, regimen, or	, , , , , , , , , , , , , , , , , , , ,
Q17. If the patient experienced an intolerance to HMG-Codimprovement upon HMG-CoA reductase inhibitor dose decomposed in the second intolerance intolerance intolerance	· · · · · · · · · · · · · · · · · · ·
Q18. If the patient experienced intolerance to HMG-CoA reanother cause such as drug interactions or recognized model. Yes  No NA - Patient did not experience intolerance	eductase inhibitor therapy, were the symptoms attributable to difiable conditions that increase risk of statin intolerance?
Q19. If the patient experienced intolerance to HMG-CoA re experienced intolerance.  Atorvastatin 10 mg  Fluvastatin 20 mg  Lovastatin 20 mg  Pravastatin 10 mg  Rosuvastatin 5 mg  Simvastatin 10 mg  NA - patient did not experience intolerance	eductase therapy, select ALL of the following that patient
Q20. When taking Repatha, will the member continue the I therapy AND other lipid lowering therapies?  ☐ Yes ☐ No	nighest tolerated dose of HMG-CoA reductase inhibitor
Q21. Specify the HMG-CoA reductase inhibitor AND oth Repatha(include drug, strength, and directions for each	· · · · · · · · · · · · · · · · · · ·



### Repatha

Phone: 800-728-7947 Fax back to: 866-880-4532

Patient Name: Supervising Physician:			
Q22. Provide patient's BASELINE LDL (prior to initiation of ANY lipid therapies) and DATE it was measured.			
Q23. Provide the TARGET LDL level for this patient.			
Q24. Provide a recent LDL level for the patient taken within the PAST 30 DAYS and DATE it was measured.			
Q25. If requesting CONTINUATION, provide the patient's PRE-REPATHA LDL and DATE it was measured.			
Q26. Specify DATE patient received FIRST DOSE of Repatha therapy.			
Q27. If requesting CONTINUATION, select ALL of the following that apply to this patient:			
<ul> <li>□ Documentation of ADHERENCE to Repatha therapy (verified by claims history)</li> <li>□ Documentation of ADHERENCE to concomitant lipid lowering therapies (verified by claims history)</li> <li>□ Documentation of ADHERENCE to the 2013 AHA/ACC Lifestyle Management Guidelines (e.g. heart healthy diet, aerobic exercise 3-4 times a week, active weight loss if BMI greater than 25 kg/m2)</li> </ul>			
Nonsmoker			
☐ None of the above apply to this patient			
Q28. For CONTINUATION, select ALL of the following that apply to this patient.			
GREATER THAN 50% reduction in baseline (non-treated LDL)			
<ul><li>☐ Reaching pre-specified goal LDL concentration</li><li>☐ GREATER THAN OR EQUAL TO 35% reduction in LDL concentration since starting Repatha.</li></ul>			
Q29. Additional Comments			



### Repatha

Phone: 800-728-7947 Fax back to: 866-880-4532

The Scott & White Health Plan Pharmacy Department manages the pharmacy drug benefit for your patient. Certain requests for coverage require review

with the prescribing physician. Please answer the follow blank or illegible may delay the review process.	ing questions and fax this form to the r	number listed above. Please note any information left		
		Prescriber Name:		
Patient Name:	Supervising Pr	Supervising Physician:		
Prescriber Signature		Date		
□ Expedited/Urgent - By checking this box ar seriously jeopardize the life or health of the e		, -		
•		uesting providers may speak to the SWHP medical the decision on a request before coverage has been		
This telecopy transmission contains confidential information held	anging to the sender that is legally privileged	This information is intended only for the use of the individual or		

entity named above. The authorized recipient of this information is prohibited from disclosing this information to any other party. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reference to the contents of this document is strictly prohibited. If you have received this telecopy in error, please notify the sender immediately to arrange for the return of this document